

IN THE CLAIMS:

Please amend Claims 27, 29, 33-35 and add new Claims 37-41 to read as follows: A marked-up copy of Claims 27, 29, 33-35, showing the changes made thereto, is attached.

Sub B1
27. (Twice Amended) An image processing system, comprising:

a) an information processing apparatus including:

an operating unit adapted to enter information;

a processor adapted to process information entered at said operation unit;

a display unit adapted to perform a display corresponding to data processed by said processor;

a memory unit adapted to store image information; and

an interface for connecting an external apparatus; and

b) an image pickup apparatus detachable from said interface,

including:

an image pickup unit adapted to pickup an object image;

wherein said information processing apparatus further includes:

a detecting unit adapted to detect that said image pickup apparatus is connected; and

a controller adapted to control said display unit to display information sent from said image pickup apparatus in a case that said detecting unit detects that said image pickup apparatus is connected, and to control said display unit to display information stored

E1 Amend
in said memory unit in a case that said detecting unit detects that said image pickup apparatus is not connected.

Sub P1
29. (Amended) An image processing system according to claim 27, wherein said display unit displays an image sent from said image pickup apparatus in a window in a display screen thereon.

D1 Amend.
Sub F2
33. (Twice Amended) An image processing system according to claim 27, wherein said display unit displays a result detected by said detecting unit as marks.

34. (Twice) An image processing system according to claim 33, wherein said marks displayed by said display unit relates to a camera.

Sub H1
35. (Twice Amended) An image processing system according to claim 27, said display unit further displaying an image pickup condition of said image pickup unit.

Please add new claims 37-41 to read as follows:

Sub E2
37. An information processing apparatus, comprising:
an operating unit adapted to enter information;
a processor adapted to process information entered at said operating unit;
a display unit adapted to performing a display corresponding to data processed by said processor;
a memory unit adapted to store image information;

D2

an interface for connecting an image pickup apparatus, said image pickup apparatus being detachable from said interface;

connected; and

a controller adapted to control said displaying unit to display information sent from said image pickup apparatus in a case that said detecting unit detects that said image pickup apparatus is connected, and to control said display unit to display information stored in said memory unit in a case that said detecting unit detects that said image pickup apparatus is not connected.

38. An apparatus according to claim 37, wherein said display unit displays an image sent from said image pickup apparatus in a window in a display screen thereon.

39. An apparatus according to claim 37, wherein said display unit displays a result detected by said detecting unit as marks.

40. An apparatus according to claim 39, wherein said marks displayed by said display unit relates to a camera.

41. An apparatus according to claim 37, said display unit further displaying an image pickup condition of said image pickup apparatus.--